



propablank®



To solve problems caused by:



Gaps between loads



Load instability



Anchor damages



Impacts



95% air + 5% polyethylene = 100% safety....

PROPABLANK dunnage bags are the perfect and economical solution to balance the loads during transportation.

PROPABLANK are developed with high quality raw materials and technological procedures, all patented, which allow to achieve extremely high resistant air bags.

PROPABLANK is completely realized in polyethylene, that makes it very easy to dispose and recycle. It is important to remember that international transportation laws limit, and will increasingly limit, the use of salvage materials like wood, carton, plastic and polystyrene to fix loads and fill gaps between them. Once inflated, **PROPABLANK** dunnage bags contain 95% air and only 5% polyethylene.

PROPABLANK dunnage bags are very easy to use. To secure a load, you only need to insert one or more dunnage bags into the empty spaces and inflate them using the special valve provided: once it has reached the optimal pressure, the dunnage bag will secure the load, protecting it from shocks or shifts caused by jolts or sudden movements. **PROPABLANK** dunnage bags are entirely made in Italy.

PROPABLANK dunnage bags are available in different thicknesses and they can be supplied as follows:



With flexible valve



With rigid valve





propablank®



Width (mm)	Length (mm)	Void space to fill (mm)
600	1050	200
900	1200	300
1050	1800	350
1200	1200	400
1600	1800	500

PROPABLANK dunnage bags are inflated with a special air gun, which differs depending on whether the valve is flexible or rigid, and it is adjustable to any compressed air circuit.

To deflate **PROPABLANK** with flexible valve, simply pierce it or cut the surface. To deflate **PROPABLANK** with rigid valve, just unscrew the valve.



Propagroup S.p.A. Via Genova, 5/B - 10098 Rivoli (Turin) Italy
Tel +39 011 9507788 - www.propagroup.com - export@propagroup.com